

LEEP

LEEP System 1000® Workstation

The logical evolution in functionality for
Loop Electrosurgical Excision Procedures

Features


- Elegantly designed for the modern procedure room
- Fully integrated LEEP station with internal storage
- Increased operating precision
- Safe and easy to operate
- Heavy-duty castors facilitate mobility



CooperSurgical

*Keeping You at the Forefront
of Women's Health Care™*

The Logical Evolution in Functionality



The LEEP System 1000® Workstation

has been designed to meet the unique requirements of the office-based practice or the clinic.

Fully integrated and mobile, the LEEP System 1000® Workstation combines three components for maximum efficiency:

- Compact LEEP Cart
- The LEEP System 1000®
- Smoke Evacuation System 6080

Compact LEEP Cart

- Generator and smoke evacuator in one compact station for added mobility and functionality
- Designed to work within small exam rooms
- Heavy-duty casters ensure easy mobility
- Convenient interior storage shelves
- Elegant design for modern medical facilities




LEEP

The logical evolution in functionality for
Loop Electrosurgical Excision Procedures

Functionality for LEEP Procedures

The LEEP System 1000® Electrosurgical Generator

- Isolated power output and LED display located in front for precise power selection, delivery and ease-of-use
- Flush faceplate membrane facilitates operation and cleaning
- Microprocessor controlled for increased precision, accuracy, reproducibility and safety
- Provides a choice of CUT, BLEND, and COAG waveforms to accommodate subtle differences in technique and electrode performance
- Pneumatic footpedal for maximum safety
- Audible safety features include distinct tones for each operating setting
- Automatic self test mechanism ensures accurate system operation



Full line of LEEP accessories available.



Smoke Evacuation System 6080

- High air flow efficiently captures smoke plume with a variable speed control
- Triple-stage filtration captures airborne particulate matter, vapor and odor with a 99.999% efficiency level
- Virtually maintenance free
- Replacement filters available



The logical evolution in functionality for Loop Electrosurgical Excision Procedures

Product Specifications

Compact LEEP Cart

Physical dimensions: 43 1/4" high x 22 7/8" deep x 13.5" base width
 Weight: 143 lbs.

LEEP System 1000®

Components: Pneumatic Foot Pedal, Handpiece Adapter, Disposable Handpiece, Disposable Patient Return Pad, Patient Return Pad Adapter, Disposable Loop Electrode.

Meets or exceeds IEC 601-1, IEC 606-1-2 and IEC 60601-2-2 specifications. Meets the requirements of Annex 1 of Medical Device Directive 93/42/EEC. UL and CUL approved.


		DOMESTIC	INTERNATIONAL	
Electrical Input:	Voltage:	95-135 VAC 50/60Hz	190-250 VAC 50/60Hz	
	Current:	2.3 amps, max.	1.2 amps, max.	
Low Frequency Leakage:		Less than 50 microamps	Less than 50 microamps	
	Fuses:	2.5 amps, T type	1.6 amps, T type	
Electrosurgical Output:	RF Output Frequency:	450 kHz		
	RF Output Power:	Volts p-p Max (open circuit)	Duty Cycle	Crest Factor
	CUT: 0-100 watts RMS*	830	-	1.4
	BLEND 0-100 watts RMS*	1200	60%	2.0
	COAG 0-80 watts RMS*	3800	10%	5.5
	Note: Stable to 800 ohms (calibration at 500 ohms)			
	RF Isolation:	Less than 150 miliamps at 200 ohms**		
Classification:	I-type BF			
Output Circuit:	Floating output. Protected against effects of the defibrillator.			
Working Mode:	Discontinuous maximum duty cycle; 10/30 sec.			
Cooling:	Convection cooling without fan.			
Control:	Foot pedal operated (pneumatic) with audible signals and mode lights.			
Note: Reference IEC 60601-2-2				

Smoke Evacuator System 6080-1

Components:



Smoke Evacuator Pre-filter 52560




ULPA Filter 6082



Smoke Evacuator Reducer 6083



Disposable Tubing 6084



9" FEP Tubing 6150

	DOMESTIC	INTERNATIONAL
Electrical	110 VAC, 60 Hz	220 VAC, 50 Hz (Optional)
Size	9"W x 9"D x 21"H	22.85 cm x 22.95 cm x 53.35 cm
Air Flow	35 CFM Minimum at Maximum Setting	
Filter	Pre-Filter: Hydrophobic ULPA Filter:	Charcoal filter for odor removal Rated at 99.999% efficiency level for 0.014 micron particles (based on Standard CNC Evaluations)



CooperSurgical

Keeping You at the Forefront of Women's Health Care™

95 Corporate Drive, Trumbull, CT 06611 • 800.243.2974 • 203.601.5200
 www.coopersurgical.com • ©2006 CooperSurgical, Inc.